

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S51	32	((application or software) near9 usage) (usage near6 (record\$4 or trac\$3 or analy\$9)) ((priorit\$4 or prioritiz\$6) near9 (updat\$4 or upgrad\$4 or patch)) (usage same (priorit\$4 or prioritiz\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/17 12:36
S50	43	((application or software) near9 usage) (usage near6 (track\$4 or monitor\$4 or profil\$6)) ((priorit\$4 or prioritiz\$6) near9 (updat\$4 or upgrad\$4 or patch)) (usage same (priorit\$4 or prioritiz\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/17 12:35
S49	85	((application or software) near9 usage) (usage near6 (track\$4 or monitor\$4 or profil\$6)) ((priorit\$4 or prioritiz\$6) near9 (updat\$4 or upgrad\$4 or patch))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/17 12:21
S48	4	"717"/\$.ccls. ((application or software) near9 usage) (usage near4 (track\$4 or monitor\$4 or profil\$6)) ((priorit\$4 or prioritiz\$6) near9 (updat\$4 or upgrad\$4 or patch))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/17 12:21
S47	24	"705"/\$.ccls. ((application or software) near9 usage) (usage near4 (track\$4 or monitor\$4 or profil\$6)) ((priorit\$4 or prioritiz\$6) near9 (updat\$4 or upgrad\$4 or patch))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/17 12:19
S20	75	((priorit\$4 or prioritiz\$8) with (updat\$4 or upgrad\$4 or patch\$4)) ((profil\$6 or monitor\$4 or track\$4) with usage) (usage same (updat\$4 or upgrad\$4 or patch\$4)) (updat\$4.clm. or updat\$4.ti. or upgrad\$4.clm. or upgrad\$4.ti. or patch\$4.clm. or patch\$4.ti.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/17 12:12
S46	33	(usage near6 (monitor\$4 or trac\$3 or track\$3 or profil\$6)) ((priorit\$4 or prioritiz\$6) near6 (updat\$4 or upgrad\$4 or miss\$4 or patch)) ((priorit\$4 or prioritiz\$6) with (usage or profil\$6)) (updat\$4.clm. or updat\$4.ti. or upgrad\$4.clm. or upgrad\$4.ti.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:42
S44	83	(usage near6 (monitor\$4 or trac\$3 or track\$3 or profil\$6)) ((priorit\$4 or prioritiz\$6) near6 (updat\$4 or upgrad\$4 or miss\$4 or patch)) ((priorit\$4 or prioritiz\$6) with (usage or profil\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:41
S45	34	(usage near6 (monitor\$4 or trac\$3 or track\$3 or profil\$6)) ((priorit\$4 or prioritiz\$6) near6 (updat\$4 or upgrad\$4 or miss\$4 or patch)) ((priorit\$4 or prioritiz\$6) with (usage or profil\$6)) ((notif\$6 or select\$4 or choos\$4) near6 (updat\$4 or upgrad\$4 or patch))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:36
S43	326	(usage near6 (monitor\$4 or trac\$3 or track\$3 or profil\$6)) ((priorit\$4 or prioritiz\$6) near6 (updat\$4 or upgrad\$4 or miss\$4 or patch))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:27
S42	95	((desktop or desk-top) same support\$4) (usage near6 (track\$4 or monitor\$4 or profil\$6)) ((priorit\$4 or prioritiz\$8) near6 (updat\$4 or upgrad\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 11:25

EAST Search History

S41	100	((desktop or desk-top) same support\$4) (usage near6 (track\$4 or monitor\$4 or profil\$6)) ((priorit\$4 or prioritiz\$8) with (updat\$4 or upgrad\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 11:23
S40	35	((track\$4 or monitor\$4 or profil\$6) near6 usage) ((updat\$4 or upgrad\$4) same usage) (prior\$9 same (updat\$4 or upgrad\$4) same usage) ((choos\$4 or select\$4 or notif\$9 or display\$4 or show\$4) near6 (updat\$4 or upgrad\$4)) ((send\$4 or sent or download\$4 or receiv\$4) near6 (updat\$4 or upgrad\$4)) ((updat\$4 or upgrad\$4) same (word or excel or miss\$4 or potential\$4 or adobe or application or patch\$4) same (detect\$4 or predict\$6 or determin\$6)) ((desktop or desk-top) same support\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 11:21
S39	60	((track\$4 or monitor\$4 or profil\$6) near6 usage) ((updat\$4 or upgrad\$4) same usage) (prior\$9 same (updat\$4 or upgrad\$4) same usage) ((choos\$4 or select\$4 or notif\$9 or display\$4 or show\$4) near6 (updat\$4 or upgrad\$4)) ((send\$4 or sent or download\$4 or receiv\$4) near6 (updat\$4 or upgrad\$4)) ((updat\$4 or upgrad\$4) same (word or excel or miss\$4 or potential\$4 or adobe or application or patch\$4) same (detect\$4 or predict\$6 or determin\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 10:58
S38	249	((track\$4 or monitor\$4 or profil\$6) near6 usage) ((updat\$4 or upgrad\$4) same usage) (prior\$9 with (updat\$4 or upgrad\$4 or usage)) ((choos\$4 or select\$4 or notif\$9 or display\$4 or show\$4) near6 (updat\$4 or upgrad\$4)) ((send\$4 or sent or download\$4 or receiv\$4) near6 (updat\$4 or upgrad\$4)) ((updat\$4 or upgrad\$4) same (word or excel or miss\$4 or potential\$4 or adobe or application or patch\$4) same (detect\$4 or predict\$6 or determin\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 10:57
S37	443	((track\$4 or monitor\$4 or profil\$6) near6 usage) ((updat\$4 or upgrad\$4) same usage) (prior\$9 with (updat\$4 or upgrad\$4 or usage)) ((choos\$4 or select\$4 or notif\$9 or display\$4 or show\$4) near6 (updat\$4 or upgrad\$4)) ((send\$4 or sent or download\$4 or receiv\$4) near6 (updat\$4 or upgrad\$4)) ((updat\$4 or upgrad\$4) same (word or excel or miss\$4 or potential\$4 or adobe or application or patch\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 10:55
S36	481	((track\$4 or monitor\$4 or profil\$6) near6 usage) ((updat\$4 or upgrad\$4) same usage) (prior\$9 with (updat\$4 or upgrad\$4 or usage)) ((choos\$4 or select\$4 or notif\$9 or display\$4 or show\$4) near6 (updat\$4 or upgrad\$4)) ((send\$4 or sent or download\$4 or receiv\$4) near6 (updat\$4 or upgrad\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 10:53
S35	608	((track\$4 or monitor\$4 or profil\$6) near6 usage) ((updat\$4 or upgrad\$4) same usage) (prior\$9 with (updat\$4 or upgrad\$4 or usage)) ((choos\$4 or select\$4 or notif\$9 or display\$4 or show\$4) near6 (updat\$4 or upgrad\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 10:52
S34	1142	((track\$4 or monitor\$4 or profil\$6) near6 usage) ((updat\$4 or upgrad\$4) same usage) (prior\$9 with (updat\$4 or upgrad\$4 or usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 10:51
S33	775	((track\$4 or monitor\$4 or profil\$6) near6 usage) ((updat\$4 or upgrad\$4) same usage) (prior\$9 with usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 10:50
S32	40	((updat\$4 or upgrad\$4 or patch\$4 or miss\$6) with (priorit\$4 or prioritiz\$8)) ((profil\$6 or monitor\$4 or track\$4) near9 usage) (usage same (updat\$4 or upgrad\$4 or patch\$4 or miss\$4)) ((priorit\$4 or prioritiz\$8) with (usage or profil\$9)) ((download\$4 or sent or send\$4 or transmit\$6 or provid\$4) near6 (updat\$4 or upgrad\$4 or patch\$4 or miss\$6)) ((notif\$6 or display\$4 or show\$4) near8 (user or client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/15 16:59

EAST Search History

S31	49	((updat\$4 or upgrad\$4 or patch\$4 or miss\$6) with (priorit\$4 or prioritiz\$8)) ((profil\$6 or monitor\$4 or track\$4) near9 usage) (usage same (updat\$4 or upgrad\$4 or patch\$4 or miss\$4)) ((priorit\$4 or prioritiz\$8) with (usage or profil\$9)) ((download\$4 or sent or send\$4 or transmit\$6 or provid\$4) near6 (updat\$4 or upgrad\$4 or patch\$4 or miss\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/15 16:58
S28	86	((updat\$4 or upgrad\$4 or patch\$4 or miss\$6) with (priorit\$4 or prioritiz\$8)) ((profil\$6 or monitor\$4 or track\$4) near9 usage) (usage same (updat\$4 or upgrad\$4 or patch\$4 or miss\$4)) ((priorit\$4 or prioritiz\$8) with (usage or profil\$9))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/15 16:56
S27	71	((updat\$4 or upgrad\$4 or patch\$4 or miss\$6) with (priorit\$4 or prioritiz\$8)) ((profil\$6 or monitor\$4 or track\$4) near9 usage) (usage same (updat\$4 or upgrad\$4 or patch\$4 or miss\$4)) ((priorit\$4 or prioritiz\$8) with usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/15 16:45
S22	56	((updat\$4 or upgrad\$4 or patch\$4 or miss\$6) near9 (priorit\$4 or prioritiz\$8)) ((profil\$6 or monitor\$4 or track\$4) near9 usage) (usage same (updat\$4 or upgrad\$4 or patch\$4 or miss\$4)) (updat\$4.clm. or updat\$4.ti. or upgrad\$4.clm. or upgrad\$4.ti. or patch\$4.clm. or patch\$4.ti.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/15 16:44
S23	20	((updat\$4 or upgrad\$4 or patch\$4 or miss\$6) near9 (priorit\$4 or prioritiz\$8)) ((profil\$6 or monitor\$4 or track\$4) near9 usage) (usage same (updat\$4 or upgrad\$4 or patch\$4 or miss\$4)) (updat\$4.clm. or updat\$4.ti. or upgrad\$4.clm. or upgrad\$4.ti. or patch\$4.clm. or patch\$4.ti.) ((priorit\$4 or prioritiz\$8) near9 (profil\$6 or usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/15 15:25
S19	237	((priorit\$4 or prioritiz\$8) with (updat\$4 or upgrad\$4 or patch\$4)) ((profil\$6 or monitor\$4 or track\$4) with usage) (usage same (updat\$4 or upgrad\$4 or patch\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/10 12:39
S18	407	((priorit\$4 or prioritiz\$8) with (updat\$4 or upgrad\$4 or patch\$4)) ((profil\$6 or monitor\$4 or track\$4) with usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/10 12:38
S17	7439	((priorit\$4 or prioritiz\$8) with (updat\$4 or upgrad\$4 or patch\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/10 12:37